ELSEVIER

Acta Tropica 62 (1996) 303–305

ACTA TROPICA

Volume 62

Author Index

Adak, T., see Sharma, Y.D., (62) 135
Ahlberg, B.M.
Do young women in tropical regions constitute a recognized social category?, (62) 201
Ahmed, E.R.S., see Yagi, H., (62) 127
Alonso, C., see Angel, S.O., (62) 45
Anderson, R.M., see Chan, M.S., (62) 105
Andrighetti, M.T.M., see Mazine, C.A.B., (62) 1
Angel, S.O., Requena, J.M., Soto, M., Criado, D. and Alonso, C.
During canine leishmaniasis a protein belonging to the 83-kDa heat-shock protein family elicits a strong humoral response, (62) 45
Ansari, M.A., see Sharma, Y.D., (62) 135
Anyan, W.K., see Bosompem, K.M., (62) 91
Arias, P., see Cutillas, C., (62) 63
Arishima, T., see Bosompem, K.M., (62) 91
Atouguia, J.M., see Jennings, F.W., (62) 83
Ayi, I., see Bosompem, K.M., (62) 91

Bahari, S.E., see Yagi, H., (62) 127
Bain, O., see Gasser, R.B., (62) 143
Berger, M.R., see Zillmann, U., (62) 183
Biswas, S., see Sharma, Y.D., (62) 135
Bosompem, K.M., Arishima, T., Yamashita, T., Ayi, I., Anyan, W.K. and Kojima, S.
Extraction of *Schistosoma haematobium* antigens from infected human urine and generation of potential diagnostic monoclonal antibodies to urinary antigens, (62) 91
Brabin, L.
Providing accessible health care for adolescents with sexually transmitted disease, (62) 209
Brattig, N.W., see Tischendorf, F.W., (62) 171
Braun, R., see Zillmann, U., (62) 183
Bundy, D.A.P., see Chan, M.S., (62) 105
Büttner, D.W., see Tischendorf, F.W., (62) 171

Chan, M.S., Anderson, R.M., Medley, G.F. and Bundy, D.A.P.
Dynamic aspects of morbidity and acquired immunity in schistosomiasis control, (62) 105
Chitsulo, L., see Kjetland, E.F., (62) 239
Chitsulo, L., see Helling-Giese, G., (62) 257
Chitsulo, L., see Poggensee, G., (62) 269
Chitsulo, L., see Gundersen, S.G., (62) 281
Chitsulo, L., see Richter, J., (62) 289
Criado, D., see Angel, S.O., (62) 45
Croese, J., see Prociv, P., (62) 23
Cutillas, C., German, P., Arias, P. and Guevara, D.
Characterization of *Trichuris skrjabini* by isoenzyme gel electrophoresis: comparative study with *Trichuris ovis*, (62) 63

de Titto, E.H., see Laucella, S.A., (62) 151
Deelder, A.M., see Richter, J., (62) 289
Devi, C.U., see Sharma, Y.D., (62) 135

Faye, J.A., see Mattioli, R.C., (62) 71
Feldmeier, H., see Helling-Giese, G., (62) 225
Feldmeier, H., see Kjetland, E.F., (62) 239
Feldmeier, H., see Helling-Giese, G., (62) 257
Feldmeier, H., see Poggensee, G., (62) 269
Feldmeier, H., see Gundersen, S.G., (62) 281
Feldmeier, H., see Richter, J., (62) 289

Gasser, R.B., Stewart, L.E. and Speare, R.
Genetic markers in ribosomal DNA for hookworm identification, (62) 15
Gasser, R.B., LeGoff, L., Petit, G. and Bain, O.
Rapid delineation of closely-related filarial parasites using genetic markers in spacer rDNA, (62) 143

German, P., see Cutillas, C., (62) 63
Guevara, D., see Cutillas, C., (62) 63
Gundersen, S.G., see Helling-Giese, G., (62) 225
Gundersen, S.G., see Kjetland, E.F., (62) 239
Gundersen, S.G., see Helling-Giese, G., (62) 257
Gundersen, S.G., see Poggensee, G., (62) 269
Gundersen, S.G., Kjetland, E.F., Poggensee, G., Helling-Giese, G., Richter, J., Chitsulo, L., Koumwenda, N., Krantz, I. and Feldmeier, H.
Urine reagent strips for diagnosis of schistosomiasis haematobium in women of fertile age, (62) 281
Gundersen, S.G., see Richter, J., (62) 289

Haas, H., see Richter, J., (62) 289
Hassan, A.M.E., see Yagi, H., (62) 127
Helling-Giese, G., Kjetland, E.F., Gundersen, S.G., Poggensee, G., Richter, J., Krantz, I. and Feldmeier, H.
Schistosomiasis in women: manifestations in the upper reproductive tract, (62) 225
Helling-Giese, G., see Kjetland, E.F., (62) 239
Helling-Giese, G., Sjaastad, A., Poggensee, G., Kjetland, E.F., Richter, J., Chitsulo, L., Kumwenda, N., Racz, P., Roald, B., Gundersen, S.G., Krantz, I. and Feldmeier, H.
Female genital schistosomiasis (FGS): relationship between gynecological and histopathological findings, (62) 257
Helling-Giese, G., see Poggensee, G., (62) 269
Helling-Giese, G., see Gundersen, S.G., (62) 281
Helling-Giese, G., see Richter, J., (62) 289
Hernández, R., see Pulido, M., (62) 163

Jamaly, S., see Poggensee, G., (62) 269
Jennings, F.W., Atouguia, J.M. and Murray, M.
The importance of 2,3-dimercaptopropinol (British anti-lewisite, BAL) in the trypanocidal activity of topical melarsoprol, (62) 83

Kjetland, E.F., see Helling-Giese, G., (62) 225
Kjetland, E.F., Poggensee, G., Helling-Giese, G., Richter, J., Sjaastad, A., Chitsulo, L., Kumwenda, N., Gundersen, S.G., Krantz, I. and Feldmeier, H.
Female genital schistosomiasis due to *Schistosoma haematobium*, (62) 239
Kjetland, E.F., see Helling-Giese, G., (62) 257
Kjetland, E.F., see Poggensee, G., (62) 269
Kjetland, E.F., see Gundersen, S.G., (62) 281
Kjetland, E.F., see Richter, J., (62) 289
Kojima, S., see Bosompem, K.M., (62) 91
Konstantinov, S.M., see Zillmann, U., (62) 183
Koumwenda, N., see Gundersen, S.G., (62) 281
Krantz, I., see Helling-Giese, G., (62) 225
Krantz, I., see Kjetland, E.F., (62) 239
Krantz, I., see Helling-Giese, G., (62) 257
Krantz, I., see Poggensee, G., (62) 269
Krantz, I., see Gundersen, S.G., (62) 281
Krantz, I., see Richter, J., (62) 289
Kumwenda, N., see Kjetland, E.F., (62) 239
Kumwenda, N., see Helling-Giese, G., (62) 257
Kumwenda, N., see Poggensee, G., (62) 269
Kumwenda, N., see Richter, J., (62) 289

Laucella, S.A., de Titto, E.H. and Segura, E.L.
Epitopes common to *Trypanosoma cruzi* and mammalian tissues are recognized by sera from Chagas' disease patients: prognosis value in Chagas disease, (62) 151
LeGoff, L., see Gasser, R.B., (62) 143
Lintzel, M., see Tischendorf, F.W., (62) 171

Macoris, M.L.G., see Mazine, C.A.B., (62) 1
Mahmoud, M., see Yagi, H., (62) 127
Martínez-Calvillo, S., see Pulido, M., (62) 163
Mattioli, R.C. and Faye, J.A.
A comparative study of the parasitological buffy coat technique and an antigen enzyme immunoassay for trypanosome diagnosis in sequential *Trypanosoma congolense* infections in N'Dama, Gobra zebu and N'Dama x Gobra crossbred cattle, (62) 71
Mazine, C.A.B., Macoris, M.L.G., Andrighetti, M.T.M., Yasumaro, S., Silva, M.E., Nelson, M.J. and Winch, P.J.
Disposable containers as larval habitats for *Aedes aegypti* in a city with regular refuse collection: a study in Marília, São Paulo State, Brazil, (62) 1
Medley, G.F., see Chan, M.S., (62) 105
Mohamed, H.A., see Yagi, H., (62) 127
Murray, M., see Jennings, F.W., (62) 83
Mustafa, B., see Yagi, H., (62) 127

Nelson, M.J., see Mazine, C.A.B., (62) 1
Nilsson, L.-A., see Poggensee, G., (62) 269

Petit, G., see Gasser, R.B., (62) 143
Pieper, A., see Tischendorf, F.W., (62) 171
Pillai, C.R., see Sharma, Y.D., (62) 135
Poggensee, G., see Helling-Giese, G., (62) 225
Poggensee, G., see Kjetland, E.F., (62) 239
Poggensee, G., see Helling-Giese, G., (62) 257

Poggensee, G., Reimert, C.M., Nilsson, L.-A., Jamaly, S., Sjastad, A., Roald, B., Kjetland, E.F., Helling-Giese, G., Richter, J., Chitsulo, L., Kumwenda, N., Gundersen, S.G., Krantz, I. and Feldmeier, H.
Diagnosis of female genital schistosomiasis by indirect disease markers: determination of eosinophil cationic protein, neopterin and IgA in vaginal fluid and swab eluates, (62) 269
Poggensee, G., see Gundersen, S.G., (62) 281
Poggensee, G., see Richter, J., (62) 289
Prociv, P. and Croese, J.
Human enteric infection with *Ancylostoma caninum*: hookworms reappraised in the light of a "new" zoonosis, (62) 23
Pulido, M., Martínez-Calvillo, S. and Hernández, R.
Trypanosoma cruzi rRNA genes: a repeated element from the non- transcribed spacer is locus specific, (62) 163

Racz, P., see Helling-Giese, G., (62) 257
Reimert, C.M., see Poggensee, G., (62) 269
Reimert, C.M., see Richter, J., (62) 289
Requena, J.M., see Angel, S.O., (62) 45
Richter, J., see Helling-Giese, G., (62) 225
Richter, J., see Kjetland, E.F., (62) 239
Richter, J., see Helling-Giese, G., (62) 257
Richter, J., see Poggensee, G., (62) 269
Richter, J., see Gundersen, S.G., (62) 281
Richter, J., Poggensee, G., Kjetland, E.F., Helling-Giese, G., Chitsulo, L., Kumwenda, N., Gundersen, S.G., Deelder, A.M., Reimert, C.M., Haas, H., Krantz, I. and Feldmeier, H.
Reversibility of lower reproductive tract abnormalities in women with *Schistosoma haematobium* infection after treatment with praziquantel – An interim report, (62) 289
Roald, B., see Helling-Giese, G., (62) 257
Roald, B., see Poggensee, G., (62) 269

Saad, M.B.A., see Yagi, H., (62) 127
Segura, E.L., see Laucella, S.A., (62) 151
Sharma, Y.D., Biswas, S., Pillai, C.R., Ansari, M.A., Adak, T. and Devi, C.U.
High prevalence of chloroquine resistant *Plasmodium falciparum* infection in Rajasthan epidemic, (62) 135
Silva, M.E., see Mazine, C.A.B., (62) 1
Sjaastad, A., see Kjetland, E.F., (62) 239
Sjaastad, A., see Helling-Giese, G., (62) 257
Sjastad, A., see Poggensee, G., (62) 269
Soto, M., see Angel, S.O., (62) 45
Speare, R., see Gasser, R.B., (62) 15
Steiner, A.K.
The problem of post-partum fistulas in developing countries, (62) 217
Stewart, L.E., see Gasser, R.B., (62) 15
Sulaiman, S.M., see Yagi, H., (62) 127

Tischendorf, F.W., Brattig, N.W., Büttner, D.W., Pieper, A. and Lintzel, M.
Serum levels of eosinophil cationic protein, eosinophil-derived neurotoxin and myeloperoxidase in infections with filariae and schistosomes, (62) 171

Winch, P.J., see Mazine, C.A.B., (62) 1

Yagi, H., Bahari, S.E., Mohamed, H.A., Ahmed, E.R.S., Mustafa, B., Mahmoud, M., Saad, M.B.A., Sulaiman, S.M. and Hassan, A.M.E.
The Marrara syndrome: a hypersensitivity reaction of the upper respiratory tract and buccopharyngeal mucosa to nymphs of *Linguatula serrata*, (62) 127
Yamashita, T., see Bosompem, K.M., (62) 91
Yasumaro, S., see Mazine, C.A.B., (62) 1

Zillmann, U., Konstantinov, S.M., Berger, M.R. and Braun, R.
Improved performance of the anion-exchange centrifugation technique for studies with human infective African trypanosomes, (62) 183

ELSEVIER

Acta Tropica 62 (1996) 307–308

ACTA TROPICA

Volume 62

Keyword Index

Adolescents, (62) 209
Aedes aegypti, (62) 1
African cattle breeds, (62) 71
Allergic nasopharyngitis, (62) 127
Ancylostoma caninum, (62) 23
Ancylostoma spp., (62) 15
Anion-exchange centrifugation technique, (62) 183
Antibodies, (62) 135
Antigen, (62) 91
Antigen enzyme immunoassay, (62) 71

Biopsy, (62) 239
Buffy coat technique, (62) 71

Cationic granule proteins, (62) 171
Cervix, (62) 239
Chagas disease, (62) 151
Chemotherapy, (62) 105
Chlamydia, (62) 209
Chromatography, (62) 91
Colposcopy, (62) 239, (62) 257
Community participation, (62) 1
Cross-reactive antigens, (62) 151
Cymelarsan, (62) 83

Dengue, (62) 1
Developing countries, (62) 209
Diagnosis, (62) 71, (62) 225, (62) 239, (62) 257, (62) 269, (62) 281
Dimercaptopropinol (bal), (62) 83
Dogs, (62) 45
Drug resistance, (62) 135

Eosinophil-derived neurotoxin, (62) 171
Eosinophil cationic protein, (62) 171, (62) 269
Eosinophilic enteritis, (62) 23
Eosinophils, (62) 257
Extraction, (62) 91

Female genital schistosomiasis, (62) 239, (62) 257, (62) 269, (62) 281, (62) 289
Female reproductive tract, (62) 225
Filarial parasites, (62) 143
Flow charts, (62) 209

G6PD (EC 1.1.1.49.), (62) 63
Genetic markers, (62) 143
GPI (EC 5.3.1.9.), (62) 63

Health care, (62) 201
Helminth diseases, (62) 171
Helminth epidemiology, (62) 105
Hematuria, (62) 281
Histopathology, (62) 257
Hookworm, (62) 15, (62) 23
Hsp83 family, (62) 45
Human African trypanosomes, (62) 183
Human urine, (62) 91

Immune response, (62) 151
Immunodiagnosis, (62) 23
Immunoepidemiology, (62) 105
Immunohistochemistry, (62) 269
Incontinence, (62) 217
Indirect disease markers, (62) 269
Initiation, (62) 201
Internal transcribed spacer, (62) 15
Internal transcribed spacer ribosomal dna, (62) 143
Isoenzymes, (62) 63

Larva migrans, (62) 23
LDH (EC 1.1.1.27.), (62) 63
Leishmania infantum, (62) 45
Leukocyturia, (62) 281
Linguatula serrata, (62) 127
Litomosoides spp., (62) 143

Malaria, (62) 135
Malawi, (62) 239, (62) 281
Marrara syndrome, (62) 127
MDH (EC 1.1.1.37), (62) 63
ME (EC 1.1.1.40), (62) 63
Melarsen oxide, (62) 83
Melarsoprol, (62) 83
Midwifery, (62) 217
Molecular mimicry, (62) 151
Monoclonal antibodies, (62) 91
Myeloperoxidase, (62) 171

Nematoda, (62) 63
Neopterin, (62) 269
Neovascularisation, (62) 239

Obstructed labour, (62) 217
Outcasts, (62) 217

Pathology, (62) 225
Pathophysiology, (62) 225, (62) 257
PCR-RFLP, (62) 15, (62) 143
Population dynamics, (62) 105
Praziquantel treatment, (62) 289
Prenatal control, (62) 217
Prevention, (62) 1
Proteinuria, (62) 281

Qualitative research, (62) 1

rDNA spacer, (62) 163
Reagent strip index (rsi), (62) 281
Reagent strips, (62) 281
Recombinant proteins, (62) 45
Repetitive element, (62) 163
Reversibility of lesions, (62) 289
Ribosomal DNA, (62) 15
Ritual ceremonies, (62) 201

Schistosoma haematobium, (62) 91, (62) 289
Schistosomiasis, (62) 225
Schistosomiasis haematobium, (62) 239
Serodiagnosis, (62) 45
Services, (62) 209
Sexuality, (62) 201
Social change, (62) 201
Socialization, (62) 201
Species delineation, (62) 143
Species identification, (62) 15
Standardisation, (62) 183

Topical gel, (62) 83
Treatment, (62) 225
Trichuris Skrjabini, (62) 63
Trypanosoma congolense, (62) 71
Trypanosoma cruzi, (62) 151, (62) 163
Tumor necrosis factor-alpha, (62) 135

Uncinaria spp., (62) 15
Urinary schistosomiasis, (62) 281
Urine analysis, (62) 281

Vagina, (62) 239
Vaginal fluid iga, (62) 269
Vaginal surgery, (62) 217
Vulva, (62) 239

Women, (62) 225, (62) 239, (62) 269, (62) 281

Young women, (62) 201

Zoonoses, (62) 23